









paula rosa | manhattan

2016 SPECIFIER'S GUIDE

BASE UNITS - REDUCED DEPTH		W	H	D	Code	Ref
With Full Height Door 	300	720	316	LH K300BRDLDD	2301	
				RH K300BRDRDD	2302	
	400	720	316	LH K400BRDLDD	2303	
				RH K400BRDRDD	2304	
	450	720	316	LH K450BRDLDD	2305	
				RH K450BRDRDD	2306	
	500	720	316	LH K500BRDLDD	2307	
				RH K500BRDRDD	2308	
	600	720	316	LH K600BRDLDD	2309	
				RH K600BRDRDD	2310	
With Full Height Doors 	800	720	316	K800BRDDD	2311	
	900	720	316	K900BRDDD	2314	
	1000	720	316	K1000BRDDD	2312	
	1200	720	316	K1200BRDDD	2313	

BASE UNITS	W	H	D	Code	Ref
Single Door Base Unit 	150	720	568	LH K150BLDD RH K150BRDD	
HANDLE ORIENTATION MAY VARY TO OTHER DOORS					
Single Door Base Unit 	300	715	568	LH K300BLDD RH K300BRDD	2601 2602
	400	715	568	LH K400BLDD RH K400BRDD	2611 2612
	450	715	568	LH K450BLDD RH K450BRDD	2775 2776
	500	715	568	LH K500BLDD RH K500BRDD	2621 2622
	600	715	568	LH K600BLDD RH K600BRDD	2641 2642
Single Door Base Unit With 4 Inner Drawers 	300	720	568	LH K300BZ4LDD RH K300BZ4RDD	
	400	720	568	LH K400BZ4LDD RH K400BZ4RDD	
	500	720	568	LH K500BZ4LDD RH K500BZ4RDD	
	600	720	568	LH K600BZ4LDD RH K600BZ4RDD	
WITH SOFT CLOSE MECHANISM					
Double Door Base Unit 	800	715	568	K800BDD	2605
	900	715	568	K900BDD	2688
	1000	715	568	K1000BDD	2615
	1200	715	568	K1200BDD	2637

BASE UNITS		W	H	D	Code	Ref
Single Door Base Unit With Drawer 	300	715	568	LH K300BDLDD	2603	
				RH K300BDRDD	2604	
	400	720	568	LH K400BDLDD	2613	
				RH K400BDRDD	2614	
	450	720	568	LH K450BDLDD	2451	
				LH K450BDRDD	2452	
	500	720	568	LH K500BDLDD	2623	
				RH K500BDRDD	2624	
	600	720	568	LH K600BDLDD	2643	
				RH K600BDRDD	2644	
Double Door Base Unit With Drawer 	800	720	568	K800BDDD	2606	
	900	720	568	K900BDDD	2453	
	1000	720	568	K1000BDDD	2616	
	1200	720	568	K1200BDDD	2636	

BASE PULL OUT STORAGE UNIT	W	H	D		Code	Ref
-----------------------------------	---	---	---	--	------	-----

With Full Height, Pull-Out Door	150	720	568	Door to match Range	K150BPDD	2719
---------------------------------	-----	-----	-----	---------------------	----------	------





IDEALLY TO BE FITTED EITHER SIDE OF A HOB OR BASE OVEN HOUSING UNIT.
NOTE: THE ORIENTATION OF THE HANDLE MAY DIFFER FROM OTHER DOORS.


With Full Height, Pull-Out Door	300	720	568		LH K300BPLDD RH K300BPRDD	
---------------------------------	-----	-----	-----	--	------------------------------	--




Base Cargo Waste Bin Unit	450	720	568		K450BCARGODD	
	600	720	568		K600BCARGODD	









BASE CORNER UNIT		W	H	D		Code	Ref
Single Full Height Door Unit 	600	720	568	300mm Door (Min 336 - 478mm) LH	K600BCLDD	2071	
				300mm Door (Min 336 - 478mm) RH	K600BCRDD	2072	
	800	720	568	300mm Door	LH	K800BCL3DD	
				300mm Door	RH	K800BCR3DD	
				400mm Door (Min 236 - 378mm) LH	K800BCLDD	2661	
				400mm Door (Min 236 - 378mm) RH	K800BCRDD	2662	
				450mm Door (Min 286 - 428mm) LH	K800BCL45DD	2789	
				450mm Door (Min 286 - 428mm) RH	K800BCR45DD	2790	
				500mm Door (Min 336 - 478mm) LH	K800BCL5DD	2028	
				500mm Door (Min 336 - 478mm) RH	K800BCR5DD	2029	
	900	720	568	600mm Door	LH	K900BCL6DDD	
				600mm Door	RH	K900BCR6DDD	
	1000	720	568	500mm Door (Min 136 - 278mm) LH	K1000BCLDD	2663	
				500mm Door (Min 136 - 278mm) RH	K1000BCRDD	2664	
600mm Door (Min 236 - 378mm) LH				K1000BCL6DD	2031		
600mm Door (Min 236 - 378mm) RH				K1000BCR6DD	2032		
1200	720	568	600mm Door (Min 36 - 178mm) LH	K1200BCLDD	2059		
			600mm Door (Min 36 - 178mm) RH	K1200BCRDD	2060		
Double Full Height Door Unit 	1200	720	568	2 x 400mm Doors (Min 236 - 378mm) LH	K1200BCL2X4DD	2065	
				2 x 400mm Doors (Min 236 - 378mm) RH	K1200BCR2X4DD	2066	





BASE CORNER UNIT		W	H	D		Code	Ref
Single Drawerline Unit 	600	720	568	300mm Door (Min 336 - 478mm) LH	K600BDCLDD	2075	
				300mm Door (Min 336 - 478mm) RH	K600BDCRDD	2076	
	800	720	568	400mm Door (Min 236 - 378mm) LH	K800BDCLDD	2657	
				400mm Door (Min 236 - 378mm) RH	K800BDCRDD	2658	
				450mm Door (Min 286 - 428mm) LH	K800BDCL45DD	2023	
				450mm Door (Min 386 - 428mm) RH	K800BDCR45DD	2024	
				500mm Door (Min 336 - 478mm) LH	K800BDCL5DD	2019	
				500mm Door (Min 336 - 478mm) RH	K800BDCR5DD	2020	
	900	720	568	600mm Door	LH K900BDCL6DDD		
				600mm Door	RH K900BDCR6DDD		
	1000	720	568	500mm Door (Min 136 - 278mm) LH	K1000BDCLDD	2627	
				500mm Door (Min 136 - 278mm) RH	K1000BDCRDD	2628	
				600mm Door (Min 236 - 378mm) LH	K1000BDCL6DD	2008	
				600mm Door (Min 236 - 378mm) RH	K1000BDCR6DD	2009	
1200	720	568	600mm Door (Min 36 - 178mm) LH	K1200BDCLDD	2063		
			600mm Door (Min 36 - 178mm) RH	K1200BDCRDD	2064		

Double Drawerline Unit 	1200	720	568	2 x 400mm Doors (Min 236 - 378mm) LH	K1200BDCL2X4DD	2069
				2 x 400mm Doors (Min 236 - 378mm) RH	K1200BDCR2X4DD	2070

BASE CORNER UNITS - WITH PULL-OUT MECHANISMS		W	H	D		Code	Ref
Magic Corner Mechanism 	900	720	568	450mm Door	LH K900BMCLDD		
				450mm Door	RH K900BMCRDD		
	1000	720	568	500mm Door (Min 136 - 178mm) LH	K1000BMCLDD	2195	
				500mm Door (Min 136 - 178mm) RH	K1000BMCRDD	2196	
				600mm Door (Min 236 - 278mm) LH	K1000BMCL6DD	2197	
				600mm Door (Min 236 - 278mm) RH	K1000BMCR6DD	2198	


Lemans Mechanism 	900	720	568	450mm Door	LH K900BCLEMLDD	
				450mm Door	RH K900BCLEMRDD	
	1000	720	568	500mm Door (Min 136 - 278mm) LH	K1000BCLEMLDD	2055
				500mm Door (Min 136 - 278mm) RH	K1000BCLEMRDD	2056
				600mm Door (Min 236 - 378mm) LH	K1000BCLEM6DL_	
				600mm Door (Min 236 - 378mm) RH	K1000BCLEM6DR_	

BASE SINK UNITS	W	H	D	Code	Ref
With Full-Height Door 	450	720	568	LH K450BLSINKDD	
				RH K450BRSINKDD	
	500	720	568	LH K500BLSINKDD	2669
				RH K500BRSINKDD	2670
	600	720	568	LH K600BLSINKDD	2671
				RH K600BRSINKDD	2672
OPTIONAL BACK PANEL AVAILABLE					
With Full-Height Doors 	800	720	568	K800BSINKDD	2665
	900	720	568	K900BSINKDD	2676
	1000	720	568	K1000BSINKDD	2665
	1200	720	568	K1200BSINKDD	2666
	OPTIONAL BACK PANEL AVAILABLE				
With Non-Working Drawer 	500	720	568	LH K500BDLSINK	2691
				RH K500BDRSINK	2692
	600	720	568	LH K600BDLSINK	2696
				RH K600BDRSINK	2690
OPTIONAL BACK PANEL AVAILABLE					
With Non-Working Drawers 	800	720	568	K800BDSINK	2001
	900	720	568	K900BDSINK	2013
	1000	720	568	K1000BDSINK	2699
	1200	720	568	K1200BDSINK	2014
	OPTIONAL BACK PANEL AVAILABLE				
With Non-Working Drawer And Working Drawer 	1000	720	568	LH K1000SURBDD	2633
				RH K1000SULBDD	2634
	1200	720	568	LH K1200SURBDD	2653
				RH K1200SULBDD	2654
OPTIONAL BACK PANEL AVAILABLE					

BASE SINK CORNER UNITS		W	H	D		Code	Ref
With Full-Height Door 	800	720	568	450mm Door (Min 286 - 328mm) LH	K800BCLSINK45D	2791	
				450mm Door (Min 286 - 328mm) RH	K800BCRSINK45D	2792	
				500mm Door (Min 336 - 378mm) LH	K800BCLSINK5DD	2645	
				500mm Door (Min 336 - 378mm) RH	K800BCRSINK5DD	2646	
	900	720	568	600mm Door	LH	K900BCLSINK6DD	
				600mm Door	RH	K900BCRSINK6DD	
	1000	720	568	500mm Door (Min 136 - 178mm) LH	K1000BCLSINKDD	2631	
				500mm Door (Min 136 - 178mm) RH	K1000BCRSINKDD	2632	
				600mm Door (Min 236 - 278mm) LH	K1000BCLSINK6D	2649	
				600mm Door (Min 236 - 278mm) RH	K1000BCRSINK6D	2650	
	1200	720	568	600mm Door (Min 36 - 78mm) LH	K1200BCLSINK	2015	
				600mm Door (Min 36 - 78mm) RH	K1200BCRSINK	2016	
With Full-Height Doors 	1200	720	568	2 x 400mm Doors (Min 236 - 278mm) LH	K1200BCL2X4SNK	2651	
				2 x 400mm Doors (Min 236 - 278mm) RH	K1200BCR2X4SNK	2652	
With Non-Working Drawer 	800	720	568	450mm Door	LH	K800SUCL45DD	
				450mm Door	RH	K800SUCR45DD	
				500mm Door (Min 336 - 378mm) LH	K800SUCL5DD	2681	
				500mm Door (Min 336 - 378mm) RH	K800SUCR5DD	2682	
	1000	720	568	500mm Door (Min 136 - 178mm) LH	K1000SUCLDD	2679	
				500mm Door (Min 136 - 178mm) RH	K1000SUCRDD	2680	
				600mm Door (Min 236 - 278mm) LH	K1000SUCL6DD	2685	
				600mm Door (Min 236 - 278mm) RH	K1000SUCR6DD	2686	
	1200	720	568	600mm Door (Min 36 - 78mm) LH	K1200SUCLDD	2017	
				600mm Door (Min 36 - 78mm) RH	K1200SUCRDD	2018	
With Non-Working Drawer 	1200	720	568	2 x 400mm doors (Min 236 - 278mm) LH	K1200SUCL2X4DD	2693	
				2 x 400mm doors (Min 236 - 278mm) RH	K1200SUCR2X4DD	2694	

BASE CORNER POST

W	H	D	Code	Ref
	715		KBCIF80	6018



A CORNER POST IS FITTED BETWEEN TWO ADJACENT UNITS WHERE A VOID SPACE IS CREATED IN THE CORNER.

NOTE: CAN ALSO BE USED FOR WALL UNITS





BASE FLY END PANELS


W	H	D	Code	Ref
	650	941	QKESP	6327

Without Notch








PANEL HEIGHT 900MM

BASE DRAWER UNITS WITH OPTIONAL SOFT CLOSE	W	H	D	Code	Ref
Three Drawer Unit 	500	720	568	K500DUP2DD	2607
	600	720	568	K600DUP2DD	2619
1 STD DRAWER AND 2 HIGH SIDED DRAWERS. ADDITIONAL SOFT CLOSE CHARGES APPLY					
Three Drawer Hob Unit With Hob Guard	600	720	568	K600DUPHOB	
1 STD DRAWER AND 2 PAN DRAWERS. REMOVABLE PANEL 40MM LOWER THAN TOP OF CARCASE. ADDITIONAL SOFT CLOSE CHARGES APPLY.					
Three Drawer Unit With Dummy Drawer 	600	720	568	K600DUP2DDFDD	
TWO PAN DRAWERS. ADDITIONAL SOFT CLOSE CHARGES APPLY					
Four Drawer Unit 	500	720	568	K500DUP1DD	2647
	600	720	568	K600DUP1DD	2675
3 STD DRAWERS AND 1 HIGH SIDED DRAWER. ADDITIONAL SOFT CLOSE CHARGES APPLY					
Base Four Drawer Unit 	500	720	568	K500DUP1DDFDD	
	600	720	568	K600DUP1DDFDD	
WITH NON WORKING DRAWER, 2 STD & 1 HIGH SIDED DRAWER. ADDITIONAL SOFT CLOSE CHARGES APPLY					


BASE DRAWER UNITS WITH OPTIONAL SOFT CLOSE	W	H	D	Code	Ref
Five Drawer Pack	300	720	568	K300DU5DD	2783
	400	720	568	K400DU5DD	2784
	450	720	568	K450DU5DD	2787
	500	720	568	K500DU5DD	2785
	600	720	568	K600DU5DD	2786

WITH 5 STANDARD DRAWERS.
 ADDITIONAL SOFT CLOSE CHARGES APPLY


BASE DRAWER UNITS WITH SOFT CLOSE ONLY		W	H	D	Code	Ref
Two Drawer Unit 		500	720	568	K500DPIUDD	
		600	720	568	K600DPIUDD	
WITH INNER CUTLERY DRAWER AND TWO PAN DRAWERS INNER DRAWER CAN BE REMOVED						
Two Drawer Unit 		800	720	568	K800DPIUDD	
		900	720	568	K900DPIUDD	
		1000	720	568	K1000DPIUDD	
WITH INNER CUTLERY DRAWER AND TWO PAN DRAWERS INNER DRAWER CAN BE REMOVED						
Two Drawer Sink Unit 		900	720	568	K900SUDPADD	
		1000	720	568	K1000SUDPADD	
'U' SHAPED TOP DRAWER TO ALLOW FOR WASTE PIPES.						
Three Drawer Unit 		800	720	568	K800DUP2DD	2448
		900	720	568	K900DUP2DD	
		1000	720	568	K1000DUP2DD	2450
WITH CUTLERY TRAY AND TWO PAN DRAWERS						
Three Drawer Hob Unit With Hob Guard		800	720	568	K800DUPHOB	
		900	720	568	K900DUPHOB	
		1000	720	568	K1000DUPHOB	
1 STD DRAWER AND 2 PAN DRAWERS. REMOVABLE PANEL 40MM LOWER THAN TOP OF CARCASE.						

BASE DRAWER UNITS WITH SOFT CLOSE ONLY		W	H	D	Code	Ref
	Three Drawer Unit With Dummy Drawer	800	720	568	K800DUP2DDFDD	
		900	720	568	K900DUP2DDFDD	
		1000	720	568	K1000DUP2DDFDD	

WITH TWO PAN DRAWERS


	Four Drawer Unit	800	720	568	K800DUP1DDFDD	
		900	720	568	K900DUP1DDFDD	
		1000	720	568	K1000DUP1DDFDD	

WITH DUMMY DRAWER, 2 STANDARD DRAWERS AND PAN DRAWER

	Base Pan Drawer Unit With Inner Drawer				K600BHDD	
---	--	--	--	--	----------	--


	3 Drawer Unit To Suit Down Draft Extractor In The Worktop	600	720	568	K600DUP2EXT	
		800	720	568	K800DUP2EXT	
		900	720	568	K900DUP2EXT	
		1000	720	568	K1000DUP2EXT	

1 X 140MM DRAWER FRONTS - FULL DEPTH
2 X 283MM DRAWER FRONTS - REDUCED DEPTH

BASE WINE RACK UNITS		W	H	D	Code	Ref
		150	720	316	K150BBOTTLE	8041

WHEN USED AT THE END OF A RUN A FLY END OR DÉCOR PANEL IS REQUIRED

BASE WINE RACK UNITS WITH CHROME SUPPORTS	W	H	D	Code	Ref
With Chrome Bottle Supports	300	720	316	K300BWINEC	8084



WHEN USED AT THE END OF A RUN A FLY END OR DÉCOR PANEL IS REQUIRED

BASE OVEN HOUSING UNITS	W	H	D	Code	Ref
To Suit An Integrated Oven	600	720	568	K600BUHSDD	K600BUHS



TOP INFILL 47MM
BOTTOM INFILL 66MM

BASE MICROWAVE HOUSING UNIT	W	H	D	Code	Ref
To Suit An Integrated Microwave 460Mm High	600	720	568	K600BUHM46DD	4614



To Suit An Integrated Microwave 390Mm High	600	720	568	K600BUHM39DD	
--	-----	-----	-----	--------------	--




INTEGRATED DOORS	W	H	D	Code	Ref
Full Integrated	446	715	Dishwasher	K450PLAINB715DW	LB450W
	596	715	Dishwasher	K600PLAINB715DW	LB600W
			Fridge/Freezer/Washing Machine	LH K600PLAINB715L	LB600FL
			Fridge/Freezer/Washing Machine	RH K600PLAINB715R	LB600FR
Semi-Integrated	596	570	Dishwasher	K600PLAINBD570	SB600W

DOORS	W	H	D	Code	Ref
Full Height Doors	450	715		K450PLAINB715	
	500	715		K500PLAINB715	
	600	715		K600PLAINB715	

BASE TRAY SPACE	W	H	D	Code	Ref
	300	720	568	K300TRAY	6001




SUPPLIED 300MM WIDE TO BE CUT DOWN ON-SITE TO REQUIRED WIDTH.
MINIMUM WIDTH 100MM


BASE UNIT INFILL PANELS		W	H	D		Code	Ref
715Mm - Door Line 	150	715	568	Cannot be cut into two for multiple use	K150BIF	8001B	
	300	715	568		K300BIF	8002B	
	400	715	568		K400BIF	8003B	

TO BE ASSEMBLED AND CUT DOWN ON-SITE TO SUIT THE REQUIRED WIDTH
GRAIN TO SUIT THE RANGE

HIGHBOARD LARDER UNITS		W	H	D		Code	Ref
With Full Height Door 	600	1400	568		LH K600HBSL	2815	
					RH K600HBSR	2816	

HIGHBOARD HOUSING UNITS		W	H	D		Code	Ref
To Suit An Integrated Single Oven 	600	1400	568	2 x 283mm pan drawers & 680mm aperture	K600HBHS5P2		


SUPPLIED WITH OVEN INFILL PANEL CUT TO SIZE TO SUIT
MAKE AND MODEL OF APPLIANCE MUST BE SPECIFIED

To Suit An Integrated Double Oven 	600	720	568	283mm pan drawer & 965mm aperture	K600HBHD2P	4805_L
--	-----	-----	-----	-----------------------------------	------------	--------

SUPPLIED WITH OVEN INFILL PANEL CUT TO SIZE TO SUIT
MAKE AND MODEL OF APPLIANCE MUST BE SPECIFIED

HIGHBOARD FRIDGE OR FREEZER HOUSING




W	H	D	Code	Ref
900	1400	568	LH QK600HBFL	4815
			RH QK600HBFR	4816




**HIGHBOARD UNIT INFILL PANELS**






W	H	D	Code	Ref
300	1245	568	K300HBIF	













TO BE ASSEMBLED AND CUT DOWN ON-SITE TO THE REQUIRED WIDTH.
GRAIN TO SUIT THE RANGE

TALL REDUCE DEPTH LARDER UNITS		W	H	D	Code	Ref
Larder Units - Medium Wall 	300	2120	316	LH K300MLBMSL	3653	
				RH K300MLBMSR	3654	
	400	2120	316	LH K400MLBMSL	3655	
				RH K400MLBMSR	3656	
	500	2120	316	LH K500MLBMSL	3657	
				RH K500MLBMSR	3658	
	600	2120	316	LH K600MLBMSL	3659	
				RH K600MLBMSR	3660	
TOP DOOR 1245MM HIGH BOTTOM DOOR 715MM HIGH NOTE: EACH DOOR HAS A HANDLE						
Larder Units - High Wall 	300	2300	316	LH K300HLBMSL	3673	
				RH K300HLBMSR	3674	
	400	2300	316	LH K400HLBMSL	3675	
				RH K400HLBMSR	3676	
	500	2300	316	LH K500HLBMSL	3677	
				RH K500HLBMSR	3678	
	600	2300	316	LH K600HLBMSL	3679	
				RH K600HLBMSR	3680	
TOP DOOR 1245MM HIGH BOTTOM DOOR 895MM HIGH NOTE: EACH DOOR HAS A HANDLE						
Larder Units - Medium Wall 	600	2120	316	LH K600MS99BMSL		
				RH K600MS99BMSR		
TOP DOOR 975MM HIGH BOTTOM DOOR 975MM HIGH NOTE: EACH DOOR HAS A HANDLE						

TALL LARDER UNITS	W	H	D	Code	Ref
Larder Units - Medium Wall 	300	2120	568	LH K300MLBML	3643
				RH K300MLBMR	3644
	400	2120	568	LH K400MLBML	3645
				RH K400MLBMR	3646
	500	2120	568	LH K500MLBML	3647
				RH K500MLBMR	3648
	600	2120	568	LH K600MLBML	3649
				RH K600MLBMR	3650
TOP DOOR 1245MM HIGH BOTTOM DOOR 715MM HIGH NOTE: EACH DOOR HAS A HANDLE					
Larder Units - High Wall 	300	2300	568	LH K300HLBML	
				RH K300HLBMR	
	400	2300	568	LH K400HLBML	
				RH K400HLBMR	
	500	2300	568	LH K500HLBML	
				RH K500HLBMR	
	600	2300	568	LH K600HLBML	
				RH K600HLBMR	
TOP DOOR 1245MM HIGH BOTTOM DOOR 895MM HIGH NOTE: EACH DOOR HAS A HANDLE					
Larder Units - Medium Wall 	600	2120	568	LH K600MS99BML	
				RH K600MS99BMR	
TOP DOOR 895MM HIGH BOTTOM DOOR 895MM HIGH NOTE: EACH DOOR HAS A HANDLE					
Larder Broom Units With Partition & Shelves - Medium Wall	500	2120	568	LH K500MLBLDD	
				RH K500MLBRDD	
	600	2120		K600MLBLDD	
				K600MRBLDD	K600MLBRDD
TOP DOOR 1245MM HIGH BOTTOM DOOR 715MM HIGH NOTE: EACH DOOR HAS A HANDLE					


TALL OVEN HOUSING UNITS		W	H	D		Code	Ref
To Suit A Single Oven With 715Mm Door 	600	2120	568	715mm Bottom Door, 670mm Aperture & 570mm Top Door	LH	K600MHS7L	4621
				715mm Bottom Door, 670mm Aperture & 570mm Top Door	RH	K600MHS7R	4622
	600	2300	568	715mm Bottom Door, 670mm Aperture & 715mm Top Door	LH	K600HHS7L	4651
				715mm Bottom Door, 670mm Aperture & 715mm Top Door	RH	K600HHS7R	4652
SUPPLIED WITH OVEN INFILL PANEL CUT TO SIZE TO SUIT MAKE AND MODEL OF APPLIANCE MUST BE SPECIFIED							
To Suit A Single Oven With Two 355Mm Pan Drawers 	600	2120	568	2 x 355mm pan drawers, 670mm aperture, 570mm door	LH	K600MHS7P2L	
				2 x 355mm pan drawers, 670mm aperture, 570mm door	RH	K600MHS7P2R	
	600	2300	568	2 x 355mm pan drawers, 670mm aperture, 715mm door	LH	K600HHS7P2L	
				2 x 355mm pan drawers, 670mm aperture, 715mm door	RH	K600HHS7P2R	
SUPPLIED WITH OVEN INFILL PANEL CUT TO SIZE TO SUIT MAKE AND MODEL OF APPLIANCE MUST BE SPECIFIED							
To Suit A Single Oven With Two 283Mm Pan Drawers 	600	2120	568	2 x 283mm pan drawers, 670mm aperture & 715mm door	LH	K600MHS5P2LDD	
				2 x 283mm pan drawers, 670mm aperture & 715mm door	RH	K600MHS5P2RDD	
	600	2300	568	2 x 283mm pan drawers, 670mm aperture & 895mm door	LH	K600HHS5P2L	K600HHS55P2RL
				2 x 283mm pan drawers, 670mm aperture & 895mm door	RH	K600HHS5P2R	K600HHS55P2RR
SUPPLIED WITH OVEN INFILL PANEL CUT TO SIZE TO SUIT MAKE AND MODEL OF APPLIANCE MUST BE SPECIFIED							
To Suit A Double Oven With 570Mm Door 	600	2120	568	570mm door, 940mm aperture & 450mm lift up door	LH	K600MHD5L	4671
				570mm door, 940mm aperture & 450mm lift up door	RH	K600MHD5R	4672
	600	2300	568	570mm door, 1000mm aperture & 570mm door	LH	K600HHD5L	4673
				570mm door, 1000mm aperture & 570mm door	RH	K600HHD5R	4674
SUPPLIED WITH OVEN INFILL PANEL CUT TO SIZE TO SUIT MAKE AND MODEL OF APPLIANCE MUST BE SPECIFIED							
To Suit A Double Oven With Two 283Mm Pan Drawers 	600	2120	568	2x283 pan drawers, 940 aperture, 450 lift up door		K600MHD5P2	4659
	600	2300	568	2x283 pan drawers, 1000 aperture & 570 door	LH	K600HHD5P2L	4661
				2x283 pan drawers, 1000 aperture & 570 door	RH	K600HHD5P2R	4662
SUPPLIED WITH OVEN INFILL PANEL CUT TO SIZE TO SUIT MAKE AND MODEL OF APPLIANCE MUST BE SPECIFIED							

TALL OVEN HOUSING UNITS		W	H	D		Code	Ref
	To Suit Single Oven And Small Appliance, With 570Mm Door	600	2120	568	570mm door, 1038mm aperture & 355mm lift up door	LH K600MHC5V102L	4647
					570mm door, 1038mm aperture & 355mm lift up door	RH K600MHC5V102R	4648
		600	2300	568	570mm door, 1124mm aperture & 450mm lift up door	LH K600HHC5V111L	4649
					570mm door, 1124mm aperture & 450mm lift up door	RH K600HHC5V111R	4650
SUPPLIED WITH OVEN INFILL PANEL CUT TO SIZE TO SUIT MAKE AND MODEL OF APPLIANCE MUST BE SPECIFIED							
	To Suit Single Oven And Small Appliance, With Pan Drawers	600	2120	568	570mm door, 1038mm aperture & 355mm lift up door	K600MHC5P2V102	4667_L
		600	2300	568	570mm door, 1124mm aperture & 450mm lift up door	K600HHC5P2V111	4669_L
SUPPLIED WITH OVEN INFILL PANEL CUT TO SIZE TO SUIT MAKE AND MODEL OF APPLIANCE MUST BE SPECIFIED							
	To Suit Single Oven And Large Appliance, With 570Mm Door	600	2120	568	570mm door, 1112mm aperture & 283mm lift up door	LH K600MHC5V110L	
					570mm door, 1112mm aperture & 283mm lift up door	RH K600MHC5V110R	
		600	2300	568	570mm door, 1124mm aperture & 450mm lift up door	LH K600HHC5V111L	4649_
					570mm door, 1124mm aperture & 450mm lift up door	RH K600HHC5V111R	4650_
SUPPLIED WITH OVEN INFILL PANEL CUT TO SIZE TO SUIT MAKE AND MODEL OF APPLIANCE MUST BE SPECIFIED							
	To Suit Single Oven And Large Appliance, With Pan Drawers	600	2120	568	2x283 pan drawers, 1112 aperture, 283 door	K600MHC5P2V110	
		600	2300	568	2x283 pan drawers, 1124 aperture, 450 door	K600HHC5P2V111	
SUPPLIED WITH OVEN INFILL PANEL CUT TO SIZE TO SUIT MAKE AND MODEL OF APPLIANCE MUST BE SPECIFIED							
	To Suit Two Single Ovens, With Pan Drawer	600	2120	568	283 pan drawer, 1231 aperture & 450 lift up door	K600MHC2PSS	
SUPPLIED WITH OVEN INFILL PANEL CUT TO SIZE TO SUIT MAKE AND MODEL OF APPLIANCE MUST BE SPECIFIED							


TALL OVEN HOUSING UNITS		W	H	D		Code	Ref
	To Suit 3 X 390Mm High Appliances With Drawer Below	600	2120	568	283 pan drawer, 1231 aperture & 450 lift up door	K600MHT2PV122	
		600	2300	568	283 pan drawer, 1282 aperture & 570 door	LH K600HHT2PV128L	
					283 pan drawer, 1282 aperture & 570 door	RH K600HHT2PV128R	
SUPPLIED WITH OVEN INFILL PANEL CUT TO SIZE TO SUIT MAKE AND MODEL OF APPLIANCE MUST BE SPECIFIED							
	To Suit Double Oven And Microwave With Pan Drawer	600	2120	568	283 pan drawer, 1326 aperture & 355 lift up door	K600MHT2PV131	4663_L
		600	2300	568	283 pan drawer, 1412 aperture & 450 lift up door	K600HHT2PV140	4665_L
SUPPLIED WITH OVEN INFILL PANEL CUT TO SIZE TO SUIT MAKE AND MODEL OF APPLIANCE MUST BE SPECIFIED							
	To Suit Combination Of 3 Large Appliances, With Pan Drawer	600	2120	568	283 pan drawer, 1388 aperture & 283 lift up door	K600MHT2P139	
	SUPPLIED WITH OVEN INFILL PANEL CUT TO SIZE TO SUIT MAKE AND MODEL OF APPLIANCE MUST BE SPECIFIED						
	To Suit Single Oven And Two Small Appliances	600	2120	568	283 pan drawer, 1388 aperture & 283 lift up door	K600MHT2P139V2	
	SUPPLIED WITH OVEN INFILL PANEL CUT TO SIZE TO SUIT MAKE AND MODEL OF APPLIANCE MUST BE SPECIFIED						
	To Suit Small Or Large Appliance	600	2120	568	895 door, aperature, 115 infill & 570 door	LH K600MHM9LDD	
					895 door, aperature, 115 infill & 570 door	RH K600MHM9RDD	
SUPPLIED WITH OVEN INFILL PANEL CUT TO SIZE TO SUIT MAKE AND MODEL OF APPLIANCE MUST BE SPECIFIED							

TALL OVEN HOUSING UNITS		W	H	D		Code	Ref
To Suit Two 460mm High Appliances		600	2120	568	With 355mm Pan Drawer	LH K600MHC3P103L	
					With 355mm Pan Drawer	RH K600MHC3P103R	

SUPPLIED WITH OVEN INFILL PANEL CUT TO SIZE TO SUIT
MAKE AND MODEL OF APPLIANCE MUST BE SPECIFIED

TALL FRIDGE OR FREEZER HOUSINGS		W	H	D		Code	Ref
To Suit Fridge & Freezer Combination		600	2120	568	980mm Bottom and 980mm Top Door	LH QK600MFL	4645B
					980mm Bottom and 980mm Top Door	RH QK600MFR	4646B
		600	2300	568	898mm Bottom, 1245mm Top Door	LH QK600HFL	4655
					898mm Bottom, 1245mm Top Door	RH QK600HFR	4656

EACH DOOR HAS A HANDLE

To Suit Fridge & Freezer Combination		600	2120	568	715mm bottom door & 1245mm top door	LH QK600MFL60/40	4645
					715mm bottom door & 1245mm top door	RH QK600MFR60/40	4646
		600	2300	568	895mm bottom door, 1245mm top door	LH QK600HFL60/40	
					895mm bottom door, 1245mm top door	RH QK600HFR60/40	

EACH DOOR HAS A HANDLE


To Suit Fridge & Microwave Combination		600	2120	568	980 bottom door, 450 lift up top door, 175 panel	LH QK600MFM9L	
					980 bottom door, 450 lift up top door, 175 panel	RH QK600MFM9R	

EACH DOOR HAS A HANDLE
9M FRIDGE & 390 OR 460 MICROWAVE

TALL PULL-OUT LARDER UNITS	W	H	D	Code	Ref
Blanking Panel For Corner Unit	650	1965	18	QKDMCRNPNLMSB	

TALL BOILER HOUSING UNITS	W	H	D	Code	Ref
Tall Larder Boiler Housing Units	600	2120	568	LH K600MLBHL	
				RH K600MLBHR	
	600	2300	568	LH K600HLBHL	
				RH K600HLBHR	

Tall Boiler Housing Units	600	2120	568	LH K600MS99BHL	
				RH K600MS99BHR	


TALL UNIT INFILL PANELS	W	H	D	Code	Ref
	150	1965	Cannot be cut into two for multiple use	K150MSIF	8111
	300	1965		K300MSIF	8117
	150	2145	Cannot be cut into two for multiple use (Vertical)	K150HSIF	8112
	300	2145		K300HSIF	8118

TO BE ASSEMBLED AND CUT DOWN ON-SITE TO SUIT THE REQUIRED WIDTH
 1965MM HIGH - GRAIN TO SUIT THE RANGE
 2145MM HIGH - ALWAYS VERTICAL GRAIN





TALL OPEN DISPLAY UNITS	W	H	D	Code	Ref
Tall Display Variable Open Unit	300	2120	316	K300MSV0DU	





TO BE CUT DOWN ON SITE TO SUIT


WALL UNITS WITH LIFT UP DOOR	W	H	D	Code	Ref
With Full-Height, Lift-Up Door 	500	360	316	K500PLUDD	8360
	600	360	316	K600PLUDD	8361
	800	360	316	K800PLUDD	8371
	900	360	316	K900PLUDD	
	1000	360	316	K1000PLUDD	8363




ON 800MM AND 1000MM WIDE UNITS SOME RANGES MAY HAVE TWO DOORS ATTACHED TO EACH OTHER SIDE BY SIDE.
ON 800MM AND 1000MM WIDE UNITS THERE WILL BE AN INTERNAL SUPPORT RAIL BETWEEN THE TOP AND BOTTOM OF THE UNIT.
UPGRADE STAYS ARE AVAILABLE AT EXTRA COST




WALL UNITS		W	H	D	Code	Ref	
Short Wall Units 	300	575	316	LH	K300SWLDD	8539	
				RH	K300SWRDD	8540	
	400	575	316	LH	K400SWLDD	8541	
				RH	K400SWRDD	8542	
	450	575	316	LH	K450SWLDD	8551	
				RH	K450SWRDD	8552	
	500	575	316	LH	K500SWLDD	8543	
				RH	K500SWRDD	8544	
	600	575	316	LH	K600SWLDD	8545	
				RH	K600SWRDD	8546	
	Short Wall Units 	800	575	316		K800SWDD	8547
		900	575	316		K900SWDD	8553
1000		575	316		K1000SWDD	8548	
Medium Wall Units 	150	720	316	LH	K150MWLDD		
				RH	K150MWRDD		
Medium Wall Units 	300	720	316	LH	K300MWLDD	8791	
				RH	K300MWRDD	8792	
	400	720	316	LH	K400MWLDD	8711	
				RH	K400MWRDD	8712	
	450	720	316	LH	K450MWLDD	8837	
				RH	K450MWRDD	8838	
	500	720	316	LH	K500MWLDD	8721	
				RH	K500MWRDD	8722	
	600	720	316	LH	K600MWLDD	8741	
				RH	K600MWRDD	8742	

WALL UNITS	W	H	D	Code	Ref
Medium Wall Units 	800	720	316	K800MWDD	8706
	900	720	316	K900MWDD	8733
	1000	720	316	K1000MWDD	8716

High Wall Units 	300	900	316	LH K300HWLDD	8901
				RH K300HWRDD	8902
	400	900	316	LH K400HWLDD	8911
				RH K400HWRDD	8912
	500	900	316	LH K500HWLDD	8921
				RH K500HWRDD	8922
600	900	316	LH K600HWLDD	8941	
			RH K600HWRDD	8942	

High Wall Units 	800	900	316	K800HW	8906
	1000	900	316	K1000HW	8916

WALL UNITS - DUAL HANDED		W	H	D	Code	Ref
Short Wall Units 	800	575	316	LH K800SW2LDD		
				RH K800SW2RDD		
	900	575	316	LH K900SW2LDD		
				RH K900SW2RDD		
	1000	575	316	LH K1000SW2LDD		
				RH K1000SW2RDD		
IDEALLY USED ADJACENT TO A COOKER HOOD OR INTO A CORNER TO PREVENT DOOR CLASH AND ALLOW EASIER ACCESS						
Medium Wall Units 	600	720	316	LH K600MW2LDD		
				RH K600MW2RDD		
	800	720	316	LH K800MW2LDD		8803
				RH K800MW2RDD		8804
	900	720	316	LH K900MW2LDD		8811
				RH K900MW2RDD		8812
1000	720	316	LH K1000MW2LDD		8805	
			RH K1000MW2RDD		8806	
IDEALLY USED ADJACENT TO A COOKER HOOD OR INTO A CORNER TO PREVENT DOOR CLASH AND ALLOW EASIER ACCESS						
High Wall Units 	800	900	316	LH K800HW2L		8813
				RH K800HW2R		8814
	1000	900	316	LH K1000HW2L		8815
				RH K1000HW2R		8816
IDEALLY USED ADJACENT TO A COOKER HOOD OR INTO A CORNER TO PREVENT DOOR CLASH AND ALLOW EASIER ACCESS						

WALL CORNER UNITS		W	H	D		Code	Ref
Short Wall Units 	600	575	316	300mm Door	LH	K600SWC3DLDD	8549
				300mm Door	RH	K600SWC3DRDD	8550
	800	575	316	500mm Door	LH	K800SWC5DLDD	
				500mm Door	RH	K800SWC5DRDD	
<hr/>							
Medium Wall Units 	600	720	316	300mm Door	LH	K600MWC3DLDD	8793
				300mm Door	RH	K600MWC3DRDD	8794
	800	720	316	500mm Door	LH	K800MWC5DLDD	8827
				500mm Door	RH	K800MWC5DRDD	8828
	900	720	316	600mm Door	LH	K900MWC6DLDD	8831
				600mm Door	RH	K900MWC6DRDD	8832
<hr/>							
High Wall Units 	600	900	316	300mm Door	LH	K600HWC3DLDD	8801
				300mm Door	RH	K600HWC3DRDD	8802
	800	900	316	500mm Door	LH	K800HWC5L	8867
				500mm Door	RH	K800HWC5R	8868
	900	900	316	600mm Door	LH	K900HWC6L	8871
				600mm Door	RH	K900HWC6R	8872

WALL DISPLAY OPEN UNITS	W	H	D	Code	Ref
Medium Wall Unit	300	720	316	K300MWWODU	
	600	720	316	K600MWWODU	8728




VARIABLE TO BE CUT DOWN ON-SITE TO SUIT
 CAN BE USED AS BASE UNIT - ADDITIONAL LEG KIT REQUIRED
 CAN ALSO BE USED AS BASE UNIT WITH ADDITIONAL LEG KIT

High Wall Unit	300	900	316	K300HWWODU	
	600	900	316	K600HWWODU	


VARIABLE TO BE CUT DOWN ON-SITE TO SUIT

Worktop Sit On Display Open Unit	600	1212	316	K600MWTVODU	
	600	1392	316	K600HWTVODU	




VARIABLE TO BE CUT DOWN ON-SITE TO SUIT

WALL WINE RACK	W	H	D	Code	Ref
	150	720	316	K150MWBOTTLE	8707
	150	900	316	K150HWBOTTLE	8907




With Chrome Bottle Rack	300	720	316	K300MWWINEC	
-------------------------	-----	-----	-----	-------------	--



WALL DISPLAY 'ALUMINIUM FRAMED GLAZED' UNITS	W	H	D	Code	Ref
Medium Wall Unit 	500	720	316	LH K500MWGFAELDD	8847
				RH K500MWGFAERDD	8848
	600	720	316	LH K600MWGFAELDD	8855
				RH K600MWGFAERDD	8856

SUPPLIED WITH A 20MM ALUMINIUM EFFECT FRAME WITH FROSTED GLASS AND HORIZONTAL ALUMINIUM 'D' HANDLE

WALL BI-FOLDING UNITS	W	H	D	Code	Ref
Medium Wall Units 	500	720	316	K500MWBFD	8555
	600	720	316	K600MWBFD	8556
	800	720	316	K800MWBFD	8558
	900	720	316	K900MWBFD	
	1000	720	316	K1000MWBFD	8560


WHEN USING BI-FOLDING UNITS AVOID THE USE OF CORNICE LIGHTING AS THESE MAY STRIKE WHEN THE DOOR IS FULLY OPENED.

WALL CORNER POSTS	W	H	D	Code	Ref
Short Wall	150	575	150	KSWCIF	6013
Medium Wall	150	720	150	KMWCF	6018
High Wall	150	900	150	KHCIF	6023

WALL UNIT INFILL PANELS	W	H	D	Code	Ref
Low Wall	150	355	Cannot be cut into two for multiple use	K150PLUIF	8104
	300	355		K300PLUIF	8105
	400	355		K400PLUIF	8106

TO BE ASSEMBLED AND CUT DOWN ON-SITE TO REQUIRED WIDTH
GRAIN TO SUIT THE RANGE

Short Wall	150	570	Cannot be cut into two for multiple use	K150SWIF	8101W
	300	570		K300SWIF	8102W
	400	570		K400SWIF	8103W



TO BE ASSEMBLED AND CUT DOWN ON-SITE TO REQUIRED WIDTH
GRAIN TO SUIT THE RANGE

Medium Wall	150	715	Cannot be cut into two for multiple use	K150MWIF	8001W
	300	715		K300MWIF	8002W
	400	715		K400MWIF	8003W






TO BE ASSEMBLED AND CUT DOWN ON-SITE TO REQUIRED WIDTH
GRAIN TO SUIT THE RANGE


High Wall	150	895	Cannot be cut into two for multiple use	K150HWIF	8114
	300	895		K300HWIF	8115
	400	895		K400HWIF	8116

TO BE ASSEMBLED AND CUT DOWN ON-SITE TO REQUIRED WIDTH
GRAIN TO SUIT THE RANGE

WALL UNIT INFILL PANELS	W	H	D	Code	Ref
Wall Dresser	150	1207	Cannot be cut into two for multiple use	K150WTIF	8152
	300	1207		K300WTIF	8155
	150	1387	Cannot be cut into two for multiple use	K150HWTIF	8151
	300	1387		K300HWTIF	8154

TO BE ASSEMBLED AND CUT DOWN ON-SITE TO REQUIRED WIDTH
GRAIN TO SUIT THE RANGE

WALL BOILER HOUSING UNITS	W	H	D	Code	Ref
Medium Wall - 316Mm Deep 	600	720	316	LH K600MWBHL	8797
				RH K600MWBHR	8798
Medium Wall - 420Mm Deep 	500	720	420	LH K500MWBH42L	
				RH K500MWBH42R	
	600	720	420	LH K600MWBH42L	
				RH K600MWBH42R	
High Wall - 316Mm Deep 	500	900	316	LH K500HQBHL	8895
				RH K500HQBHR	8896
	600	900	316	LH K600HQBHL	8897
				RH K600HQBHR	8898
High Wall - 420Mm Deep 	500	900	420	LH K500HQBH42L	
				RH K500HQBH42R	
	600	900	420	LH K600HQBH42L	
				RH K600HQBH42R	
Wall Dresser - 420Mm Deep 	600	1212	420	LH K600WTBH42L	8883
				RH K600WTBH42R	8884
	600	1392	420	LH K600HWTBH42L	8887
				RH K600HWTBH42R	8888

WALL MICROWAVE HOSUING UNIT	W	H	D	Code	Ref
Medium Wall 	500	720	316	K500MWHS639DD	4635
	600	720	316	K600MWHS639DD	4636


THE MICROWAVE MANUFACTURE AND MODEL NUMBER MUST BE SPECIFIED SO THAT THE INFILL CAN BE MANUFACTURED TO SUIT.
NOTE: UPGRADE DOOR STAYS ARE AVAILABLE AS AN OPTION

High Wall	500	900	316	K500HWHS639DD	4695
	600	900	316	K600HWHS639DD	4696


THE MICROWAVE MANUFACTURE AND MODEL NUMBER MUST BE SPECIFIED SO THAT THE INFILL CAN BE MANUFACTURED TO SUIT.
NOTE: UPGRADE DOOR STAYS ARE AVAILABLE AS AN OPTION


INTEGRATED EXTRACTOR HOOD DOOR	W	H	D	Code	Ref
	600	450		K600DREU450	CH700


450MM HIGH TO SUIT 720 MM WALL UNIS.
WHEN USING 900MM WALL UNITS. AN INTEGRATED EXTRACT HOOD INFILL PANEL MUST BE SPECIFIED (SEE BELOW)

INTEGRATED EXTRACT HOOD INFILL PANEL	W	H	D	Code	Ref
	600	175		K600DREU18	8168

175MM INFILL TO BE USED IN CONJUNCTION WITH INTEGRATED EXTRACTOR HOOD TO SUIT 900MM WALL UNITS.

WALL EXTRACTOR HOUSING	W	H	D	Code	Ref
Canopy Hood Concealed Behind Door - Short Wall 	600	562	316	LH K600SWEHCC1L	1913
				RH K600SWEHCC1R	1914
	900	562	316	K900SWEHCC1	1915

Canopy Hood Concealed Behind Door - Medium Wall 	600	707	316	LH K600MWEHCC1L	
				RH K600MWEHCC1R	
	900	707	316	K900MWEHCC1	

Concealed Behind Wall Unit Door 	600	450	316	K600KT1DD	
--	-----	-----	-----	-----------	--

TELESCOPIC COOKER HOOD	W	H	D	Code	Ref
Sits Below Adjacent Wall Units	600	450	316	K600KTEHTB1	

Sits Flush With Adjacent Wall Units - Short Wall	600	535	316	LH K600SWEHTFX1L	8160
				RH K600SWEHTFX1R	8161
	900	535	316	K900SWEHTFX1	8162



430MM CLEARANCE REQUIRED FOR ELECTRIC HOBS
 650MM CLEARANCE REQUIRED FOR GASS HOBS
 DESIGNED TO SUIT NEFF TELESCOPIC SENSOR HOODS MODELS D4692 7 D4972 ONLY.
 NOTE: SUPPLIED WITH TOUCH-OPEN PISTONS AND NO HANDLES.



Sits Flush With Adjacent Wall Units - Medium Wall	600	680	316	LH K600MWEHTFX1L	8164
				RH K600MWEHTFX1R	8165
	900	680	316	K900MWEHTFX1	8166



500MM CLEARANCE REQUIRED FOR ELECTRIC HOBS
 650MM CLEARANCE REQUIRED FOR GASS HOBS
 DESIGNED TO SUIT NEFF TELESCOPIC SENSOR HOODS MODELS D4692 7 D4972 ONLY.
 SHELIVING IS VERY SHALLOW DUE TO EXTRACTOR NOTE: SUPPLIED WITH TOUCH-OPEN PISTONS AND NO HANDLES.

Sits Flush With Adjacent Wall Units - High Wall	600	860	316	LH K600HWEHTFX1L	
				RH K600HWEHTFX1R	
	900	860	316	K900HWEHTFX1	

430MM CLEARANCE REQUIRED FOR ELECTRIC HOBS
 650MM CLEARANCE REQUIRED FOR GASS HOBS
 DESIGNED TO SUIT NEFF TELESCOPIC SENSOR HOODS MODELS D4692 7 D4972 ONLY.
 NOTE: SUPPLIED WITH TOUCH-OPEN PISTONS AND NO HANDLES.

TELESCOPIC COOKER HOOD	W	H	D		Code	Ref
Sits Below Adjacent Wall Units - Short Wall 	600	575	316		LH K600SWEHTB1L	8160_
					RH K600SWEHTB1R	8161_
	900	575	316		K900SWEHTB1	8162_
430MM CLEARANCE REQUIRED FOR ELECTRIC HOBS 650MM CLEARANCE REQUIRED FOR GASS HOBS						
Sits Below Adjacent Wall Units - Medium Wall 	600	720	316		LH K600MWEHTB1L	8164_
					RH K600MWEHTB1R	8165_
	900	720	316		K900MWEHTB1	8166_
430MM CLEARANCE REQUIRED FOR ELECTRIC HOBS 650MM CLEARANCE REQUIRED FOR GASS HOBS DESIGNED TO SUIT NEFF TELESCOPIC SENSOR HOODS MODELS D4692 7 D4972 ONLY.						
Sits Below Adjacent Wall Units - High Wall	600	895	316		LH K600HWEHTB1L	
					RH K600HWEHTB1R	
	900	895	316		K900HWEHTB1	
430MM CLEARANCE REQUIRED FOR ELECTRIC HOBS 650MM CLEARANCE REQUIRED FOR GASS HOBS DESIGNED TO SUIT NEFF TELESCOPIC SENSOR HOODS MODELS D4618/44/72/92 AND BOSCH DHI 635/665						
Concealed Behind Wall Unit Door - Short Wall	600	545	316		LH K600SWEHTC1L	
					RH K600SWEHTC1R	
	600	570	316	To Suit Elica Sklock 600	LH K600SWEHTC3L	
				To Suit Elica Sklock 600	RH K600SWEHTC3R	
	900	570	316	To Suit Elica Sklock 900	K900SWEHTC3	
500MM CLEARANCE REQUIRED FOR ELECTRIC HOBS 650MM CLEARANCE REQUIRED FOR GASS HOBS DESIGNED TO SUIT ELECTROLUX EFP60310G HOOD						

TELESCOPIC COOKER HOOD	W	H	D		Code	Ref
Concealed Behind Wall Unit Door - Medium Wall	600	690	316		LH K600MWEHTC1L	
					RH K600MWEHTC1R	
	900	715	316	To Suit Elica Sklock 900	K900MWEHTC3	

500MM CLEARANCE REQUIRED FOR ELECTRIC HOBS
650MM CLEARANCE REQUIRED FOR GASS HOBS
DESIGNED TO SUIT ELECTROLUX EFP60310G HOOD

Concealed Behind Wall Unit Door - High Wall	900	895	316	To Suit Elica Sklock 900	K900HWEHTC3	
---	-----	-----	-----	--------------------------	-------------	--

DESIGNED TO SUIT NEFF D4618/44/72/92 AND BOSCH DHI 635/665

DÉCOR PANEL FOR BASE UNITS	W	H	D		Code	Ref
Décor Panels Are Range Dependent And Edged All Around	18	950	650	To Match Base Unit Doors	QKDMPNLBXLB	
				To Match Wall Unit Doors	QKDMPNLBXLW	



TO BE SCRIBED TO SIZE ON SITE

DÉCOR PANEL (VERTICAL) FOR BASE PENINSULAR UNITS	W	H	D		Code	Ref
Décor Panels Are Range Dependent And Edged All Around	18	950	650	To Match Base Unit Doors	QKDMPNLISLANDB	
				To Match Wall Unit Doors	QKDMPNLISLANDW	



TO BE USED IN MULTIPLES SIDE BY SIDE
TO BE SCRIBED TO SIZE ON SITE

DÉCOR PANEL (VERTICAL) FOR HIGHBOARD UNITS	W	H	D		Code	Ref
---	---	---	---	--	------	-----

Décor Panels Are Range Dependent And Edged All Around	18	1430	650	To Match Base Unit Doors	QKDMPNLHBB	
				To Match Wall Unit Doors	QKDMPNLHBW	



TO BE SCRIBED TO SIZE ON SITE

DÉCOR PANEL (VERTICAL) FOR TALL UNITS	W	H	D		Code	Ref
--	---	---	---	--	------	-----

For Medium Wall Units	18	2150	650	To Match Base Unit Doors	QKDMPNLMSXLB	
				To Match Wall Unit Doors	QKDMPNLMSXLW	



DÉCOR PANELS ARE RANGE DEPENDENT AND EDGED ALL AROUND
TO BE SCRIBED TO SIZE ON SITE

For High Wall Units	18	2330	650	To Match Base Unit Doors (Always Vertical Grain)	QKDMPNLHSXLB	
				To Match Wall Unit Doors (Always Vertical Grain)	QKDMPNLHSXLW	










DÉCOR PANELS ARE RANGE DEPENDENT AND EDGED ALL AROUND
TO BE SCRIBED TO SIZE ON SITE

CARCASE PANEL (VERTICAL) FOR TALL UNITS	W	H	D		Code	Ref
--	---	---	---	--	------	-----

Décor Panels Are Range Dependent And Edged All Round	16	2150	650		QKMSEP	
	16	2330	650		QKHSEP	

TO BE SCRIBED ON SITE

DÉCOR PANEL (VERTICAL) VARIABLE SIZE	W	H	D	Code	Ref
To Match Carcase	16			QK9036	9036
					
<p>MAXIMUM BOARD SIZE = 2600 X 2000MM. WITH THE GRAIN FOLLOWING THE LONGEST LENGTH. LENGTH, HEIGHT AND GRAIN MUST BE SPECIFIED WHEN ORDERING. PRICES ARE PER M² EDGED ALL AROUND</p>					
To Match The Door & Edging Material	18		To Match the Base Units	QK9037B	9037
			To Match the Wall Units	QK9037W	9037_
<p>MAXIMUM BOARD SIZE = 650 X 2400MM. WITH THE GRAIN FOLLOWING THE LONGEST LENGTH. LENGTH, HEIGHT AND GRAIN MUST BE SPECIFIED WHEN ORDERING. PRICES ARE PER M² EDGED ALL AROUND</p>					
To Match Door Décor Only	18		To Match the Base Units	QK9700B	9700
			To Match The Wall Units	QK9700W	9700_
<p>MAXIMUM BOARD SIZE = 650 X 2400MM. WITH THE GRAIN FOLLOWING THE LONGEST LENGTH. LENGTH, HEIGHT AND GRAIN MUST BE SPECIFIED WHEN ORDERING. PRICES ARE PER M² EDGED ALL AROUND</p>					

DÉCOR PANEL (VERTICAL) FOR WALL UNITS			W	H	D		Code	Ref
For Lift Up Door	18	360	350	To Match Base Unit Doors			QKMPNLPLUB	
				To Match Wall Unit Doors			QKMPNLPLU	
TO BE SCRIBED TO SIZE ON SITE								
For Short Wall Units	18	575	350	To Match Base Unit Doors			QKMPNLSWB	
				To Match Wall Unit Door			QKMPNLSW	
TO BE SCRIBED TO SIZE ON SITE								
For Medium Wall Units	18	720	350	To Match Base Unit Doors			QKMPNLMW	
				To Match Wall Unit Doors			QKMPNLMWB	
TO BE SCRIBED TO SIZE ON SITE								
For High Wall Units	18	900	350	To Match Base Unit Doors			QKMPNLHWB	
				To Match Wall Unit Doors			QKMPNLHW	
TO BE SCRIBED TO SIZE ON SITE								

DÉCOR PANEL (VERTICAL) FOR WALL UNITS WITH FRAMING	W	H	D		Code	Ref
For Lift Up Door Units With Top & Bottom Framing Panels	18	398	350	To Match Base Unit Doors	QKMPNLPLUB2	
				To Match Wall Unit Doors	QKMPNLPLU2	
TO BE SCRIBED TO SIZE ON SITE						
For Short Wall Units With Top & Bottom Framing Panels	18	613	350	To Match Base Unit Doors	QKMPNLSWB2	
				To Match Wall Unit Doors	QKMPNLW2	
TO BE SCRIBED TO SIZE ON SITE						
For Medium Wall Units With Top & Bottom Framing Panels	18	758	350	To Match Base Unit Doors	QKMPNLMWB2	
				To Match Wall Unit Doors	QKMPNLMW2	
TO BE SCRIBED TO SIZE ON SITE						
For High Wall Units With Top & Bottom Framing Panels	18	938	350	To Match Base Unit Doors	QKMPNLHQB2	
				To Match Wall Unit Doors	QKMPNLHW2	
TO BE SCRIBED TO SIZE ON SITE						

DÉCOR PANEL (VERTICAL) FOR WALL BOILER HOUSINGS				W	H	D		Code	Ref
To Suit Medium Wall Boiler	18	720	650	To Match Base Units				QKDMPNLMWBHB	
				To Match Wall Units				QKDMPNLMWBH	


TO BE SCRIBED TO SIZE ON SITE


To Suit High Wall Boiler	18	900	650	To Match Base Units				QKDMPNLHQBHB	
				To Match Wall Units				QKDMPNLHQBH	

TO BE SCRIBED TO SIZE ON SITE

DÉCOR PANEL (VERTICAL) FOR WALL BOILER HOUSINGS WITH FRAM				W	H	D		Code	Ref
To Suit Medium Wall Boiler	18	758	650	To Match Base Units				QKDMPNLMWBHB2	
				To Match Wall Units				QKDMPNLMWBH2	

To Suit High Wall Boiler	18	938	650	To Match Base Units				QKDMPNLHQBHB2	
				To Match Wall Units				QKDMPNLHQBH2	

DÉCOR PANEL (VERTICAL) FOR WALL DRESSER UNITS		W	H	D		Code	Ref
For Medium Wall Units		18	1430	650	To Match Base Unit Doors	QKDMPNLWTB	
					To Match Wall Unit Doors	QKDMPNLWTW	
 <p>DÉCOR PANELS ARE RANGE DEPENDENT AND EDGED ALL AROUND NOTE SUPPLIED OVERSIZE AND CUT TO SIZE ON SITE</p>							
For High Wall Units		18	1430	650	To Match Base Unit Doors	QKDMPNLHWTB	
					To Match Wall Unit Doors	QKDMPNLHWTW	
<p>DÉCOR PANELS ARE RANGE DEPENDENT AND EDGED ALL AROUND NOTE SUPPLIED OVERSIZE AND CUT TO SIZE ON SITE</p>							
DÉCOR PANEL FOR WALL BOILER DRESSER UNITS WITH FRAMING		W	H	D		Code	Ref
For Medium Wall Units		18	1430	650	To Match Base Unit Doors	QKDMPNLWTB1	
					To Match Wall Unit Doors	QKDMPNLWTW1	
<p>DÉCOR PANELS ARE RANGE DEPENDENT AND EDGED ALL AROUND NOTE SUPPLIED OVERSIZE AND CUT TO SIZE ON SITE</p>							
For High Wall Units		18	1430	650	To Match Base Unit Doors	QKDMPNLHWTB1	
					To Match Wall Unit Doors	QKDMPNLHWTW1	
<p>DÉCOR PANELS ARE RANGE DEPENDENT AND EDGED ALL AROUND NOTE SUPPLIED OVERSIZE AND CUT TO SIZE ON SITE</p>							

DÉCOR (HORIZONTAL) FRAMING PANEL	W	H	D		Code	Ref
To Be Applied At The Top Of Wall Units 	1200	18	100	To Match Base Unit Doors	QKDMCLADTOP12B	
				To Match Wall Unit Doors	QKDMCLADTOP12W	
	2400	18	100	To Match Base Unit Doors	QKDMCLADTOP24B	
				To Match Wall Unit Doors	QKDMCLADTOP24W	


FRAMING PANELS ARE RANGE DEPENDENT
TO BE CUT TO SIZE ON SITE

To Be Applied At The Bottom Of Units	1200	18	350	To Match Base Unit Doors	QKDMCLADB0T12B	
				To Match Wall Unit Doors	QKDMCLADB0T12W	
	2400	18	350	To Match Base Unit Doors	QKDMCLADB0T24B	
				To Match Wall Unit Doors	QKDMCLADB0T24W	

FRAMING PANELS ARE RANGE DEPENDENT
TO BE CUT TO SIZE ON SITE

To Be Applied At The Top Of Tall Units	1200	18	650	To Match Base Unit Doors	QKDMCLADKIT12B	
				To Match Wall Unit Doors	QKDMCLADKIT12W	
	2400	18	650	To Match Base Unit Doors	QKDMCLADKIT24B	
				To Match Wall Unit Doors	QKDMCLADKIT24W	

FRAMING PANELS ARE RANGE DEPENDENT
TO BE CUT TO SIZE ON SITE


CORNICE	W	H	D		Code	Ref
Style Dependent On Range 	2300				QKCORNICE	6061

2.3 METRES MIN LENGTH


LIGHT FASCIA	W	H	D	Code	Ref
Style Dependent On Range <input type="checkbox"/>	2300			QKLIGHTPELMET	6065

2.3 METRES MIN LENGTH


CONTINUOUS PLINTH	W	H	D	Code	Ref
	2400	150	To Match The Doors	QKPLINTHUP	9728
	2500	150	Range / Carcase dependent	QKPLINTHCH	6094






Continuous Plinth Brushed Aluminium	2500	150	18	QKPLINTHALY	
-------------------------------------	------	-----	----	-------------	--



RETURN PLINTH	W	H	D	Code	Ref
	175		Range / Carcase dependent	QKPLINTHRET	6095




NOTE: WHEN UPGRADED PLINTHS THAT MATCH THE DOOR ARE SPECIFIED ALWAYS USE A DÉCOR PANEL AS MATCHIONG PLINTH RETURNS DO NOT EXIST.

WORKTOPS	W	H	D	Code	Ref
Singe Postformed	600		Depth upto 600mm	38NB	9086
	850		Depth from 601mm to 850mm	38NB_	9087
3.6M MAXIMUM LENGTH PRICE PER METRE ADDITIONAL COSTS FOR FEATURES APPLY					
Double Postformed	670			38NB__	9088
	900			38NB___	9089
3 MAXIMUM LENGTH PRICE PER METRE ADDITIONAL COSTS FOR FEATURES APPLY					
2Mm Acrylic Edged			601mm - 864mm deep	3MPVC	9120A
			up to 600mm deep	2MPVC	9120
3.6M MAXIMUM LENGTH PRICE PER METRE ADDITIONAL COSTS FOR FEATURES APPLY					
Laminate Strip	1000	38		012068	
FOC WORKTOP LAMINATE STRIP					


CARCASE WATERFALL (FRAMING)	W	H	D	Code	Ref
Waterfall Base End	38	950	650	CFBASEEND	
LAMINATED BOTH SIDES AND EDGED IN 2MM ACRYLIC EDGING					
Waterfall Peninsular End	38	950	864	CFPENEND	
LAMINATED BOTH SIDES AND EDGED IN 2MM ACRYLIC EDGING					
Waterfall Tall End	38	2450	650	CFTALLEND	
LAMINATED BOTH SIDES AND EDGED IN 2MM ACRYLIC EDGING					
Waterfall Top	2000	38	150	CFTOP2M	
	2700	38	150	CFTOP27M	
LAMINATED BOTH SIDES AND EDGED IN 2MM ACRYLIC EDGING					

WORKTOP UPSTANDS

W	H	D	Code	Ref
3000	100	11	K9MMLAMUP	9199


**BREAKFAST BAR LEGS**

W	H	D	Code	Ref
60	870	Stainless steel	ITALLEGCH	LEGS035A



870MM X 60MM DIAMETER ADJUSTABLE HEIGHT LEG

60	710	Stainless Steel	ITALLEG7CH	LEGS034A
----	-----	-----------------	------------	----------



710MM X 60 DIAMETER, ADJUSTABLE LEG

NOTES:

Units within this guide may be modified or removed without notice.